





CUSTOMER NAME	
CUSTOMER ITEM	COOLER
APPLICATION	-



HEAT CAPACITY	240,000 Kcal/hr	
DESIGN DATA	HOT SIDE	COLD SIDE
MEDIA	WATER	WATER
INLET	1F	3F
OUTLET	4F	2F
CONNECTION SIZE	JIS 10K 100A	JIS 10K 100A
CONN. MATERIAL	SUS304	SUS304
DESIGN/TEST PRESS. (BAR)	10 / 13	
DESIGN TEMP. °C	100	
PAINT COLOR	5.9PB3/7	
WEIGHT (EMPTY/FULL)	785 / 897 Kg	

8	SUPPORT	SS400	1	-
7	LOWER CARRYING BEAM	SUS304	1	-
6	UPPER CARRYING BEAM	SS400+SUS304	1	-
5	TIGHTENING NUT	A194 2H	8	M30
4	TIGHTENING BOLT	A193 B7	8	M30
3	LOOSE PLATE	SS400	1	-
2	BASE PLATE	SS400	1	-
1	PLATE/GASKET	A240-316 0.6t / EPDM	84	-
NO	DESCRIPTION	MATERIAL	Q'ty	REMARK



1F 2F 3F 4F NOZZLE DETAIL
100A 100A 100A 100A METAL LINED(SUS304)

(84) Plates
A=(298)mm

Max No of Plates	All Dimension In Millimeters			
	LT	LG	N	K
118	750	104.0	1130	1205

A = n x 3.55
n: number of Plates (0.6mm)

DESIGN				1 OF 1	
TITLE			PLATE HEAT EXCHANGER		ISSUE DATE
			HGPC M100M-84P		
DESIGN TEAM		PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE	N / A
DRWN	C.H.BAK	21.12.29	PART NO.		A3
CHK'D					Q'TY
REV'D			DWG. NO.		REV.
APP'D					